

L J Ö S A F Ö S S

Dyptarprófill II.

Viðnámsmælingar við Ljósafoss í september 1944.

Profill þessi er gerður ca 20 m fyrir ofan profil I.

Afstaða póla Mtr.	Spenna V _e Volt	Straumur IeAmp.	Spenna V _p Volt	Eðlisviðnám Ohm/cm.
2-2-2	22.5	0.0055	0.209	47,800
4-4-4	-	0.0063	0.138	54,800
6-6-6	-	0.0070	0.101	54,500
8-8-8	-	0.0057	0.056	49,300
10-10-10	-	0.005	0.038	48,300
12-12-12	-	0.00185	0.0117	47,800
14-14-14	-	0.0062	0.033	46,900
16-16-16	-	0.0022	0.010	45,700
18-18-18	-	0.0022	0.009	46,300
20-20-20	-	0.0053	0.018	41,700

G.B.

Mjög þvett basalt

Dyptarprófill II.

Viðnámsmælingar við Ljósafoss í september 1974.

Profill þessi er gerður ca 20 m fyrir ofan profil I.

Afstaða póla Mtr.	Spenna V _e Volt	Straumur IeAmp.	Spenna V _p Volt	Eðlisviðnám Ohm/cm.
2+2+2	22.5	0.0055	0.209	47,800
4-4-4	-	0.0063	0.138	54,800
6-6-6	-	0.0070	0.101	54,500
8-8-8	-	0.0057	0.056	49,300
10-10-10	-	0.005	0.038	48,300
12-12-12	-	0.00185	0.0117	47,800
14-14-14	-	0.0062	0.033	46,900
16-16-16	-	0.0022	0.010	45,700
18-18-18	-	0.0022	0.009	46,300
20-20-20	-	0.0053	0.018	41,700

G.B.

Mjög þvett basalt